Quotation should be addressed to the **Registrar**, **HBTU**, **Kanpur**, **Uttar Pradesh-208002**. The envelope should be super scribed with **Quotation for TEQIP-III Package Name** – "……"(**As Applicable**). For any query contact to Dr. P. K. S. Yadav(7081300577). **Quotation are invited for procurement of the item as per the details given below-**

Sr. No	Package Name	Item Name	Specifications	Quantity	Last Date & Time of Submission of Quotation	Quotation Opening Date & Time
1	OT 4	Abbe Digital Refractometer	Refractive Index :1.3000 to 1.7000	2	24/01/2019	25/01/2019
		TEQIP-III/UP/hbti/101	Measuring accuracy: ± 0.0002 Measuring accuracy: ± 0.0001		16:00 Hrs	13:30 Hrs
2	OT 5	Abbe Manual	Refractive Index :1.3000 to 1.7000		24/01/2019	25/01/2019
		Refractometer TEQIP-III/UP/hbti/102	Measuring accuracy: ± 0.0002 Measuring accuracy: ± 0.0001	4	16:00 Hrs	13:30 Hrs
3	OT 6	Centrifuge	Temp.range ambient 5 Deg. C to 100 + 2 Deg. C. Suitable for operation on 440V, 50Hz, 3 phase, AC Supply	2	24/01/2019	25/01/2019
		TEQIP-III/UP/hbti/103			16:00 Hrs	13:30 Hrs
4	OT 7	Viscometer	For temp. 40/60/100 deg. C		24/01/2019	25/01/2019
		TEQIP-III/UP/hbti/104	With range of 20 to 2000sec	4	16:00 Hrs	13:30 Hrs
5	OT 9	High Temperature Oil Bath	Temperature ranges from 50°C to 250°C fitted with electronic digital temperature controller cum		24/01/2019	25/01/2019
		TEQIP-III/UP/hbti/106	indicator with an accuracy of \pm 2°C. Suitable for a wide range of applications such as oxidation, stability test on oils, greases etc. or any other test requiring	2	16:00 Hrs	13:30 Hrs
			high temperature. Double walled with inside stainless steel and outside mild steel sheet and with stirrer, diffuser shelves, aluminum cover and Silicon Oil			

6	OT 11	Hot Plate Magnetic Stirrer	Stirring vol. 0 to 2000 ml stirring speed 0 to 1250 rpm top		24/01/2019	25/01/2019
		TEQIP-III/UP/hbti/157	plate size 135 mm x 135 mm	1	16:00 Hrs	13:30 Hrs
7	OT 12	pH Meter	pH range 0.0 to 14.0 pH, Temp. range -0.1 to +0.1, Calibration		24/01/2019	25/01/2019
		TEQIP-III/UP/hbti/158	points; 2 points, pH Buffer options- NIST pH 4.00, 6.86, 9.18) Operating Temp. 0 to 60oC	2	16:00 Hrs	13:30 Hrs
8 OT	OT 13	OT 13 Melting Point Apparatus	Electrochemical Digital Melting Apparatus (range rate ; 1		24/01/2019	25/01/2019
		TEQIP-III/UP/hbti/159	deg.C/ Min	1	16:00 Hrs	13:30 Hrs

FORMAT FOR QUOTATION SUBMISSION

(In letterhead of the supplier with seal)

Contact No: _____

					Date:		_
	То:						
	Description	scription Qty U	Unit	t Quoted Unit rate in Rs.	Total Price	Sales tax and	
ο.	of goods			(Including Ex Factory price, excise duty, packing and forwarding, transportation,	(A)	other taxes payable	
	(with full						
	Specification			insurance, other local costs incidental to		In	In
	s)			delivery and warranty/ guaranty		%	figures
				commitments)			(B)
			To	tal Cost			
	We agree to	supply	the abo	Gross Total Cost (A			
	contract price	of Rs		(Amount in figures) (Rupees -		–amount i	n
	words) within	the pe	riod spe	cified in the Invitation for Quotations.			
	We confirm th	at the	normal	commercial warranty/ guarantee of ———-	month	s shall appl	у
	to the offered	items	and we	also confirm to agree with terms and cond	ditions as menti	ioned in th	e
	Invitation Lette	er.					
	We hereby cer	tify th	at we ha	ave taken steps to ensure that no person ac	ting for us or o	n our beha	lf
	will engage in l	bribery	/ .				
	Signature of Su	ıpplier					
	Name:						
	Address:						